



United States  
**CONSUMER PRODUCT  
SAFETY COMMISSION**

# **Two Million Dehumidifiers With Well-Known Brand Names Recalled Due to Fire and Burn Hazards; Manufactured by New Widetech**

---



Manufacture timeframe and additional serial numbers were added to this recall. August 12, 2021.



Recalled AeonAir dehumidifier



**Name of Product:**

Dehumidifiers

**Hazard:**

The recalled dehumidifiers can overheat and catch fire, posing fire and burn hazards.

**Remedy:**

Refund

**Recall Date:**

August 04, 2021

**Units:**

About 2 million (In addition, about 380,000 in Canada, and about 25,000 in Mexico)


## Consumer Contact

Contact New Widetech toll-free at 877-251-1512 from 8 a.m. to 7 p.m. ET Monday through Friday, or online at [www.recallrtr.com/nwtdehumidifier](http://www.recallrtr.com/nwtdehumidifier) or <http://www.newwidetech.com/en/> and click on “Recall Information” at the bottom of the page for more information.

# Recall Details

---

## In Conjunction With:



## Description:

This recall involves 25-, 30-, 35-, 45-, 50-, 60-, 65-, 70-, and 74-pint dehumidifiers, manufactured before September 1, 2017, with the brand names including AeonAir, Amana, ArcticAire (Danby), Classic (Danby / Home Hardware Stores), Commercial Cool, Danby, Danby Designer, Danby Premiere, De'Longhi, Edgestar, Friedrich, Generations (Danby), Haier, Honeywell (JMATEK / AirTek), Idylis, Ivation, perfect aire, SuperClima, Whirlpool, and Whynter. The brand name, model number, and pint capacity are printed on the nameplate sticker on the back of the dehumidifier.

### AeonAir

Model number	Capacity
RDH30EB	30-pint
RDH30EB-1	30-pint
RDH45EB	45-pint
RDH45EB-1	45-pint

---

RDH60EB	60-pint
RDH70EB	70-pint
RDH70EB-1	70-pint
RDH70EDP	70-pint
WDH-945EL	45-pint
WDH-945EL-1	45-pint

## Amana

Model Number	Capacity
D930M	30-pint
D935M	35-pint
D945E	45-pint
D950EP	50-pint
D965E	65-pint
D965E-E	65-pint
D970E-E	70-pint
D970EP	70-pint

---

D974E	74-pint
-------	---------

DM70E-E	70-pint
---------	---------

### ArcticAire (Danby)

Model Number	Capacity
--------------	----------

ADR30A2G	30-pint
----------	---------

ADR50A2G	50-pint
----------	---------

ADR70A2C	70-pint
----------	---------

ADR70A2G	70-pint
----------	---------

### Classic (Danby / Home Hardware Stores)

Model Number	Capacity
--------------	----------

3824-527	70-pint
----------	---------

3824-527-1	70-pint
------------	---------

### Commercial Cool

Model Number	Capacity
--------------	----------

---

CJ30M	30-pint
CJ35M	35-pint
CJ50E	50-pint
CJ70E	70-pint
CJ70EP	70-pint
CK50E	50-pint

## Danby

Model Number	Capacity
DDR45A3GDB	45-pint
DDR70A3GDB	70-pint

## Danby Designer

Model Number	Capacity
DDR60RGDD	60-pint

## Danby Premiere

---

Model Number	Capacity
DDR25E	25-pint
DDR25E-1	25-pint
DDR30A1GP	30-pint
DDR30A2GP	30-pint
DDR30E	30-pint
DDR30E-1	30-pint
DDR30E-2	30-pint
DDR45A1GP	45-pint
DDR45A2GP	45-pint
DDR45A3GP	45-pint
DDR45E	45-pint
DDR45E-1	45-pint
DDR5009REE	50-pint
DDR5009REE-1	50-pint
DDR5011	50-pint
DDR5011-1	50-pint



DDR50A1GP	50-pint
DDR50A2GP	50-pint
DDR6009REE	60-pint
DDR6009REE-1	60-pint
DDR60A1GP	60-pint
DDR60A2GP	60-pint
DDR60A3GP	60-pint
DDR7009REE	70-pint
DDR7009REE-1	70-pint
DDR70A1GP	70-pint
DDR70A2GP	70-pint
De'Longhi	
Model Number	Capacity
DD30P	30-pint
DD40P	40-pint
DD40PCA	40-pint

DD45	45-pint
------	---------

DD45E	45-pint
-------	---------

With respect to DD45E, only units within the following range of serial numbers are being recalled:

336 21 P000001 through 336 21 P000549

347 21 P000550 through 347 21 P001098

352 21 P001099 through 352 21 P001647

420 22 P000001 through 420 22 P001198

425 22 P001199 through 425 22 P001478

428 22 P001479 through 428 22 P003125

517 23 P000001 through 517 23 P000045

DD45P	45-pint
-------	---------

DD45PE	45-pint
--------	---------

DD50P	50-pint
-------	---------

DD50PC	50-pint
--------	---------

DD50PE	50-pint
--------	---------

DD50PSC	50-pint
---------	---------

DD50PSCE	50-pint
----------	---------

DD70PE

70-pint

DDX45PE

45-pint

With respect to DDX45PE, only units within the following range of serial numbers are being recalled:

721 25 900053 P000001 through 721 25 900053 P000549

DDX50PE

50-pint

With respect to DDX50PE, only units within the following range of serial numbers are being recalled:

721 25 900053 P000001 through 721 25 900053 P000549

DDX70PE

70-pint

With respect to DDX70PE, only units within the following range of serial numbers are being recalled:

721 25 900053 P000001 through 721 25 900053 P000549

Edgestar

Model Number

Capacity

DEP500WP

50-pint

DEP501WP

50-pint

---

With respect to DEP501WP, only units within the following range of serial numbers are being recalled:

17062880001 through 17062880100

DEP700WP	70-pint
----------	---------

DEP701WP	70-pint
----------	---------

With respect to DEP701WP, only units within the following range of serial numbers are being recalled:

17062890001 through 17062890612

Friedrich

Model Number	Capacity
--------------	----------

D25ANP	25-pint
--------	---------

D25BNP	25-pint
--------	---------

D25D	25-pint
------	---------

D25DA	25-pint
-------	---------

D50AP	50-pint
-------	---------

D50BP	50-pint
-------	---------

D50BP-A	50-pint
---------	---------

---

With respect to D50BP-A, only units within the following range of serial numbers are being recalled:

AEED02131 through AEED02840

AFLD00001 through AFLD02130

AFAD00001 through AFAD01420

AFMD02131 through AFMD02840

AFDD04971 through AFDD07100

AGAD00001 through AGAD00710

AGBD00711 through AGBD02130

AGCD02131 through AGCD02840

AGDD02841 through AGDD04970

AGED04971 through AGED05680

D50D

50-pint

D70BP

70-pint

D70BP-A

70-pint

With respect to D70BP-A, only units within the following range of serial numbers are being recalled:

AECD04261 through AECD07810

AEDD07811 through AEDD08520

AEED11361 through AEED12070

AEMD12071 through AEMD13490

AFLD00001 through AFLD03550

AFMD03551 through AFMD06390

AFCD07101 through AFCD07810

AFDD07811 through AFDD10795

AFED10651 through AFED12070

AGAD00001 through AGAD01420

AGBD01421 through AGBD02130

AGBD02131 through AGBD06390

AGDD06391 through AGDD07100

AGED07101 through AGED12780

D70AP

70-pint

D70BP

70-pint

D70D

70-pint

Generations (Danby)

Model Number

Capacity

GDR5011BL

50-pint

GDR50A1C	50-pint
----------	---------

GDR50A2C	50-pint
----------	---------

--	--

Haier

Model Number	Capacity
--------------	----------

HEN70ETFP	70-pint
-----------	---------

With respect to HEN70ETFP, only units within the following range of serial numbers are being recalled:

AD0LFWM0000WTH5J0001 through AD0LFWM0000WTH5J0780

ADOCFSM0000WTH3J0001 through ADOCFSM0000WTH3J0780

AD0LFSM0000WTH3V0001 through AD0LFSM0000WTH3V0780

AD0LFSM0000WTH4H0001 through AD0LFSM0000WTH4H0780

AD0LFSM0000WTH580001 through AD0LFSM0000WTH580780

AD0LFSM0000WTH160001 through AD0LFSM0000WTH160780

AD0LFSM0000WTH4Q0001 through AD0LFSM0000WH4Q0600

AD0LFSM0000WTH3J0781 through AD0LFSM0000WTH3J1560

HEN70ETFP-E	70-pint
-------------	---------

HM50EP	50-pint
--------	---------

HM70EP

70-pint

Honeywell (JMATEK / AirTek)

Model Number

Capacity

DH45W

45-pint

With respect to DH45W, only units within the following range of serial numbers are being recalled:

1501/000001 through 1501/000924

DH50W

50-pint

With respect to DH50W, only units within the following range of serial numbers are being recalled:

1412/000001 through 1412/000850

1501/000001 through 1501/002774

1503/002775 through 1503/005170

1504/005171 through 1504/006546

DH70W

70-pint

With respect to DH70W, only units within the following range of serial numbers are being recalled:

1412/000001 through 1412/001020



1501/000001 through 1501/003798

1503/003799 through 1503/008436

1504/008437 through 1504/012070

## Idylis

Model Number

Capacity

0526011

70-pint

0526051

70-pint

## Ivation

Model Number

Capacity

IVADH30PW

30-pint

With respect to IVADH30PW, only units within the following range of serial numbers are being recalled:

E161017011212600001 through E161017011212601218

17010001 through 17011218

17030001 through 17031218

IVADH70PW

70-pint

With respect to IVADH70PW, only units within the following range of serial numbers are being recalled:

16050001 through 16050710

16100001 through 16100712

17010001 through 17010712

17030001 through 17030712

perfect aire

Model Number

Capacity

1PED30

30-pint

With respect to 1PED30, only units within the following range of serial numbers are being recalled:

17010001 through 17010904

1PED50

50-pint

With respect to 1PED50, only units within the following range of serial numbers are being recalled:

17010001 through 17010641

1PED50S

50-pint

1PED70

70-pint

With respect to 1PEDP70, only units within the following range of serial numbers are being recalled:

17010001 through 17011030

1PEDP50

50-pint

With respect to 1PEDP50, only units within the following range of serial numbers are being recalled:

17010001 through 17011130

17030642 through 17030961

1PEDP70

70-pint

With respect to 1PEDP70, only units within the following range of serial numbers are being recalled:

17010001 through 17011030

PADP50

50-pint

PADP70

70-pint

SuperClima

Model Number

Capacity

DW30M

30-pint

---

## Whirlpool

Model Number	Capacity
--------------	----------

WDH70EAPW	70-pint
-----------	---------

With respect to WDH70EAPW, only units within the following range of serial numbers are being recalled:

01161102017700001 through 01161102017700080

01161202017700001 through 01161202017701920

01161202017701930 through 01161202017712569

01170102017700001 through 01170102017702864

01170202017700001 through 01170202017709008

01170302017700001 through 01170302017713056

01170402017700001 through 01170402017716128

01170502017700001 through 01170502017712640

01170602017700001 through 01170602017700560

---

## Whynter

Model Number	Capacity
--------------	----------

RPD-302W

30-pint

With respect to RPD-302W, only units within the following range of serial numbers are being recalled:

13080001 through 13080424

14040001 through 14041602

14081603 through 14082930

0080915050001 through 0080915051568

0080915081569 through 0080915082416

0080915102417 through 0080915103816

0080916010001 through 0080916011400

0080916040701 through 0080916041400

RPD-503SP

50-pint

With respect to RPD-503SP, only units within the following range of serial numbers are being recalled:

0081516040001 through 0081516040625

00881517070001 through 00881517070627

RPD-702WP

70-pint

With respect to RPD-702WP, only units within the following range of serial numbers are being recalled:

13080001 through 13080348

14030001 through 14030626

14040627 through 14041954

14081955 through 14083556

0081015050001 through 0081015051423

0081015081424 through 0081015082119

0081015102120 through 0081015103611

0081016010001 through 0081016011492

0081016091493 through 0081016092238

00881017010001 through 00881017010627

00881017040628 through 00881017041254

00881017051255 through 00881017053135

**Remedy:**

Consumers should stop using the dehumidifiers immediately and contact New Widetech for a refund. The amount of the refund will be pro-rated based on the age of the dehumidifier.

**Incidents/Injuries:**

New Widetech is aware of 107 incidents of the recalled dehumidifiers overheating and/or catching fire, resulting in about \$17 million in property damage. No injuries have been reported.

**Sold At:**

Lowe's stores, Costco, Walmart, Menards, and other retailers nationwide from February 2009 through August 2017 for between \$120 and \$430.

**Manufacturer(s):**

New Widetech

**Manufactured In:**

China

**Recall number:**

21-174

Note: Individual Commissioners may have statements related to this topic. Please visit [www.cpsc.gov/commissioners](http://www.cpsc.gov/commissioners) to search for statements related to this or other topics.